Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:
```
L6 same inhalation
```

Display: `20` Documents in **Display Format:** `CIT` **Starting with Number** `1`

Generate: ⌜ Hit List ⊙ Hit Count ⌜ Side by Side ⌜ Image

Search | Clear | Interrupt

Search History

DATE: **Saturday, February 10, 2007**   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L7	L6 same inhalation	11	L7
L6	L5 same (analges$3 or (pain near8 treat$5))	105	L6
L5	(loxapine or cloxazepine or loxapinsuccinate or loxitane or "2-chloro-11-(4-methyl-1-piperazinyl)-dibenz(b,f)(1,4)oxazepine" or "2-chloro-11-(4-methyl-1-piperazinyl)-dibenz(b,f)(1,4)oxazepine" or Loxapac)	1238	L5
DB=PGPB,USPT; PLUR=YES; OP=OR			
L4	(Joshua near Rabinowitz) AND @pd>20061203	8	L4
L3	(Patrik near Munzar) AND @pd>20060520	1	L3
L2	L1 and (loxapine or amoxapine)	15	L2
L1	Ron near Hale	50	L1

END OF SEARCH HISTORY

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	**First Name**	
Hale	Ron	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
Munzar	Patrik	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	**First Name**	
Hale	Ron	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

```
        FILE 'REGISTRY' ENTERED AT 19:58:22 ON 10 FEB 2007
L1           9 S LOXAPINE

        FILE 'CAPLUS, MEDLINE, USPATFULL' ENTERED AT 19:58:54 ON 10 FEB 2007
L2         832 S L1
L3         832 S L2 OR LOXITANE OF LOXAPAC
L4          92 S L3 (P) (ADMINIST? OR TREAT?)
L5           3 S L4 (P) (ANALGES? OR PAIN)
L6           3 DUPLICATE REMOVE L5 (0 DUPLICATES REMOVED)
L7           1 S L4 (P) (INHAL? OR RESPIR?)

        FILE 'STNGUIDE' ENTERED AT 20:03:26 ON 10 FEB 2007

        FILE 'CAPLUS, MEDLINE, USPATFULL' ENTERED AT 20:04:55 ON 10 FEB 2007
L8           9 S L4 AND (INHAL? OR RESPIR?)
L9           8 S L8 NOT L7
L10          8 DUPLICATE REMOVE L9 (0 DUPLICATES REMOVED)
```

TI   A method of improving the medical treatment of pain
AB   Methods for improving pain management in a mammal, the methods comprising
      administering a combination of a strontium-containing compound and a second
      therapeutically and/or prophylactically active substance selected from the
      group consisting of analgesic agents, anti-inflammatory agents and
      palliative agents to the mammal. Pharmaceutical compns. for use in such
      methods, comprising a strontium-containing compound and a second
therapeutically
      and/or prophylactically active substance selected from the group
      consisting of analgesic agents, anti-inflammatory agents and palliative
      agents. For example, a tablet containing naproxen 250, strontium malonate
      210, lactose 100, corn starch 30, and magnesium stearate 10 mg was
      formulated.

ACCESSION NUMBER:	2005:1354712 CAPLUS
DOCUMENT NUMBER:	144:94350
TITLE:	A method of improving the medical treatment of pain
INVENTOR(S):	Christgau, Stephan; Hansen, Christian; Nilsson, Henrik
PATENT ASSIGNEE(S):	Osteologix A/S, Den.
SOURCE:	PCT Int. Appl., 34 pp.
	CODEN: PIXXD2
DOCUMENT TYPE:	Patent
LANGUAGE:	English
FAMILY ACC. NUM. COUNT:	9
PATENT INFORMATION:	

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005123192	A2	20051229	WO 2005-DK401	20050617
WO 2005123192	A3	20061228		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
    CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
    GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,
    LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA,
    NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK,
    SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU,
    ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
    AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
    EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
    RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
    MR, NE, SN, TD, TG

AU 2005254154	A1	20051229	AU 2005-254154	20050617
US 2006122274	A1	20060608	US 2005-269289	20051107
WO 2006089546	A1	20060831	WO 2005-DK710	20051107

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
    CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
    GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
    KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,
    MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,
    SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
    VN, YU, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
    IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
    CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
    GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
    KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:	DK 2004-947	A	20040617
	DK 2003-691	A	20030507
	DK 2003-932	A	20030620
	DK 2003-1820	A	20031209
	US 2003-528442P	P	20031209
	WO 2004-DK328	A2	20040506

L6   ANSWER 2 OF 3   CAPLUS   COPYRIGHT 2007 ACS on STN
TI   Method for treating pain with loxapine and amoxapine
AB   Loxapine, amoxapine, or salts or prodrugs of either, are effective in
      alleviating pain, particularly headache pain such as migraine, cluster
      headaches and tension headaches. Preferably the loxapine or amoxapine is
      administered systemically, most preferably by inhalation.
ACCESSION NUMBER: 2004:433766 CAPLUS
DOCUMENT NUMBER: 140:400101
TITLE: Method for treating pain with loxapine and amoxapine
INVENTOR(S):   Hale, Ron L.; Munzar, Patrik; Rabinowitz, Joshua D.
PATENT ASSIGNEE(S):   Alexza Molecular Delivery Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 14 pp.
                           CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

```
        PATENT NO.              KIND   DATE        APPLICATION NO.          DATE
        --------------          ----   --------    --------------------     --------
        US 2004102434           A1     20040527    US 2003-719540           20031120
        CA 2507159              A1     20040610    CA 2003-2507159          20031120
        WO 2004047844           A1     20040610    WO 2003-US37415          20031120
            W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
                CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
                GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
                LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO,
                NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
                TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW
            RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ,
                BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE,
                ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
                TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
        AU 2003294470           A1     20040618    AU 2003-294470           20031120
        EP 1567164              A1     20050831    EP 2003-789955           20031120
            R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
                IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
        CN 1717237              A      20060104    CN 2003-80104151         20031120
        JP 2006514934           T      20060518    JP 2004-555617           20031120
PRIORITY APPLN. INFO.:                             US 2002-429405P    P    20021126
                                                   WO 2003-US37415    W    20031120
```

L6   ANSWER 3 OF 3   CAPLUS   COPYRIGHT 2007 ACS on STN
TI   Tricyclic δ opioid agonist analgesics for the treatment of pain with
      lowered risk of induction of seizure
AB   The invention provides methods and pharmaceutical compns. for the
      treatment of pain, preferably with lowered risk of induction of seizure in
      a patient. The compns. contain active compds. that are tricyclic δ
      opioid receptor agonists I [A, B are (un)substituted C5-7 aromatic rings; X =
      N, O, S, P; Y = N, P; m= 0, 1; a = 0-2; m + a = 0-2; n = 0, 1; b = 0-3; n
      + b = 1-3; m + a + n + b = 1-3; one C[b] or one Y[n] has a pendant
      (un)substituted piperidine or piperazine ring].
ACCESSION NUMBER: 2002:594817 CAPLUS
DOCUMENT NUMBER: 137:135105
TITLE: Tricyclic δ opioid agonist analgesics for the
                           treatment of pain with lowered risk of induction of
                           seizure
INVENTOR(S):   Dehaven, Robert; Gauntner, Erin; Little, Patrick;
                           Zhang, Wei Y.
PATENT ASSIGNEE(S):   Adolor Corporation, USA

L7   ANSWER 1 OF 1   CAPLUS   COPYRIGHT 2007 ACS on STN
TI   Toxicity tests of 2-chloro-11-(4-methyl-1-piperazinyl)dibenzo[b,f][1,4]oxa
     zepine (S-805). 1. Acute, subacute, and chronic toxicity

AB   The acute, subacute, and chronic toxicities of 2-chloro-11-(4-methyl-1-
     piperazinyl)-dibenzo[b,f][1,4]oxazepine (I) [1977-10-2] were
     studied in both sexes of mice and rats. The LD50 values by 4 different
     routes of administration ranged 34-37 mg/kg, for mice and rats;
     the acute toxicity was associated with sedation, ataxia, catalepsy, ptosis,
     and respiratory depression. The continuous oral
     administration of I caused hypoactivity, catalepsy, and growth
     retardation.

ACCESSION NUMBER: 1972:81145 CAPLUS
DOCUMENT NUMBER: 76:81145
TITLE: Toxicity tests of 2-chloro-11-(4-methyl-1-
                           piperazinyl)dibenzo[b,f][1,4]oxazepine (S-805). 1.
                           Acute, subacute, and chronic toxicity
AUTHOR(S):   Mineshita, Tetsuo; Muraoka, Yoshihiro; Yahara, Isao;
                           Inuta, Tadayoshi; Ishikawa, Michio; Kawaguchi, Junko;
                           Okada, Teruko
CORPORATE SOURCE: Aburahi Lab., Shionogi and Co., Ltd., Koga, Japan
SOURCE: Oyo Yakuri (1970), 4(2), 293-303
                           CODEN: OYYAA2; ISSN: 0300-8533
DOCUMENT TYPE: Journal
LANGUAGE: Japanese

TI   Acute treatment of headache with phenothiazine antipsychotics

AB   Methods of treating headache with antipsychotics are provided. A kit for
       treating headache is also provided, comprising an antipsychotic and a
       device for rapid delivery of the antipsychotic.

ACCESSION NUMBER: 2006:891334   CAPLUS
DOCUMENT NUMBER: 145:241767
TITLE: Acute treatment of headache with phenothiazine
                           antipsychotics
INVENTOR(S):   Hale, Ron L.; Lloyd, Peter M.; Lu, Amy T.; Munzar,
                           Patrik; Rabinowitz, Joshua D.; Skowronski, Roman
PATENT ASSIGNEE(S):   USA
SOURCE: U.S. Pat. Appl. Publ., 37pp., Cont.-in-part of U.S.
                           Ser. No. 719,763.
                           CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2006193788	A1	20060831	US 2006-346548	20060202
US 2004101481	A1	20040527	US 2003-719763	20031120
CA 2507158	A1	20040610	CA 2003-2507158	20031120
AU 2003295823	A1	20040618	AU 2003-295823	20031120
EP 1565184	A1	20050824	EP 2003-787033	20031120

          R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
               IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

JP 2006514633	T	20060511	JP 2004-555621	20031120

PRIORITY APPLN. INFO.:

			US 2002-429404P	P	20021126
			US 2003-719763	A2	20031120
			US 2005-649637P	P	20050202
			WO 2003-US37426	W	20031120

National Library of Medicine - Medical Subject Headings

2007 MeSH

MeSH Descriptor Data

Return to Entry Page

MeSH Heading	Loxapine
Tree Number	D03.494.347.500
Scope Note	An antipsychotic agent used in schizophrenia.
Entry Term	Loxapinsuccinate
Entry Term	Oxilapine
Entry Term	2-Chloro-11-(4-methyl-1-piperazinyl)-dibenz(b,f)(1,4)oxazepine
Entry Term	CL-71,563
Entry Term	Cloxazepine
Entry Term	Loxapine Monohydrochloride
Entry Term	Loxipine Maleate
Entry Term	Loxipine Succinate
Entry Term	Loxitane
Allowable Qualifiers	AA AD AE AG AI AN BL CF CH CL CS CT DU EC HI IM IP ME PD PK PO RE SD ST TO TU UR
Pharm. Action	Antipsychotic Agents
Pharm. Action	Dopamine Antagonists
CAS Type 1 Name	Dibenz(b,f)(1,4)oxazepine, 2-chloro-11-(4-methyl-1-piperazinyl)-
Registry Number	1977-10-2
Related Number	20287-66-5 (maleate)
Related Number	27833-64-3 (succinate)
Related Number	54810-23-0 (mono-HCl)
Previous Indexing	Dibenzoxazepines (1971-1974)
Previous Indexing	Piperazines (1971-1974)
History Note	91(75); was see under DIBENZOXAZEPINES 1975-90
Unique ID	D008152

MeSH Tree Structures

Heterocyclic Compounds [D03]
  Heterocyclic Compounds, 3-Ring [D03.494]
    Dibenzoxazepines [D03.494.347]
              Dibenz(b,f)(1,4)oxazepine-10(11H)-carboxylic acid, 8-chloro-, 2-
              acetylhydrazide [D03.494.347.200]
          ▶ Loxapine [D03.494.347.500]
                    Amoxapine [D03.494.347.500.040]

Return to Entry Page   **Link to NLM Cataloging Classification**